

KAKO DA ZNATE DA LI STE U POVEĆANOM RIZIKU OD PNEUMOKOKNE INFEKCIJE?

Ukoliko ste osoba sa nekim hroničnim oboljenjem kao što su:

- Hronične bolesti srca
- Hronične plućne bolesti
- Hronične bolesti jetre
- Hronične bolesti bubrega
- Česte infekcije disajnih puteva i zapaljenja uha
- Šećerna bolest


Ukoliko ste osoba sa nekim od ovih stanja:

- Oštećenje bubrega
- Bez slezine ili slezina ne radi ispravno
- Srpasta anemija
- HIV infekcija
- Transplantacija organa i tkiva
- Stanja oslabljenog imuniteta*
- Maligna oboljenja
- Stanja koja dovode do isticanja likvora
- Ugrađena slušna proteza (kohlearni implant)

* uzimate neke od ovih lekova: kortikosteroidi (npr. prednizon), inhibitori kalcineurina (npr. takrolimus, ciklosporin), IMDH inhibitori (npr. mikofenolat mofetil - CellCept*), hemijski lekovi koji menjaju tok bolesti (metotreksat, hidroksihlorohin, sulfasalazin...), biološki lekovi koji menjaju tok bolesti (npr. adalimumab - Humira®, infliksimab - Remicade®), inhibitori Janus kinaze (npr. tofacitinib - Xeljanz®), mTOR inhibitori (npr. sirolimus - Rapamune®) i monoklonska antitela (npr. basiliksimumab - Simulect®).



AKO STE DODALI OZNAKU U BILO KOJI OD OVIH KRUŽIĆA, NE OKLEVAJTE DA RAZGOVARATE SA VAŠIM LEKAROM OPŠTE MEDICINE, JER IMATE VEĆI RIZIK DA OBOLITE OD INVAZIVNE PNEUMOKOKNE BOLESTI.



Ukoliko treba da primite dve doze vakcine, drugu dozu treba da primite nakon osam nedelja.

ŠTA JE PNEUMOKOKNA BOLEST?

Pneumokokna bolest je različita od virusnih infekcija prehlade i gripa. Pneumokokna bolest je bakterijska infekcija koja napada pluća, mozak, krvotok i druge organe. Invazivna pneumokokna bolest može dovesti i do dugoročnih zdravstvenih problema, kao što su gubitak sluha, slabost i oštećenje pluća.

Bolesti izazvane pneumokokom nisu sezonskog karaktera kao što su oboljenja poput gripa. Iako je invazivna pneumokokna bolest češća na jesen i zimu, može se pojaviti tokom cele godine.

SADA JE NAJBOLJE VREME DA SE ZAŠTITITE.

KAKO SE ZAŠTITITI?

- Izbegavajte blizak kontakt sa obolelim osobama.
- Perite ruke i usvojite pravilne higijenske navike dok kašljete, kijate ili duvate nos.
- VAKCINIŠITE SE.**



UDRUŽENJE ZA KRONOVU BOLEST I ULCEROZNI KOLITIS SRBIJE
LILJAN ĐAKOVIĆ



Reference: 1. <https://www.gezondheidsdienst.be/richtlijnen/preventie-van-ernstige-pneumokokkeninfecties>, last access 02.2026. 2. <https://www.cdc.gov/pneumococcal/index.html>, last access 02.2026. 3. Ministarstvo zdravlja Republike Srbije. Pravilnik o programu obavezne i preporučene imunizacije stanovništva protiv određenih zaraznih bolesti („Sl. glasnik“, br. 65/2020) 4. Grant LR, Meche A, McGrath L, Miles A, Alfred T, Yan Q, Chilson E. Risk of Pneumococcal Disease in US Adults by Age and Risk Profile. Open Forum Infect Dis. 2023 Apr 12;10(5):ofad192. doi: 10.1093/ofid/ofad192. PMID: 37180598; PMCID: PMC10167987. 6. Based on the Invasive pneumococcal disease - Annual Epidemiological Report for 2022 from European Centre for Disease Prevention and Control.